







№	Наименование Фото		Модель	Резистивно- ёмкостный 220V	Стабилизи-р ованный ток 110-220V	Примечание
1	C35		2W керамика E14	4.88	7.25	Цветовая температура2 00К, 2700К 4000К, 6500К
2	C35		4W керамика E14	9.38	11.88	
3	G45		2W керамика E14/E27	5.25	8.5	
4	G45		4W керамика E14/E27	9.75	12.25	
5	A60		2W керамика E27	6.88	8.5	
6	A60		4W керамика E27	9.75	12.25	
7	A60		6W керамика E27	0	15.63	
8	A60		8W керамика E27	0	19.75	
12	ST64		2W керамика E27	7.75	0	
13	ST64		4W керамика E27	9.38	10.63	
14	ST64		6W керамика E27	0	16.25	
15	ST64		8W керамика E27	0	20	

16	ST58		2W керамика E27	7.75	0
17	ST58		4W керамика E27	9.38	10.63
18	ST58		6W керамика E27	0	15.63
19	ST58		8W керамика E27	0	19.75
20	G80		2W керамика E27	8.5	0
21	G80		4W керамика E27	11	13.13
22	G80		6W керамика E27	0	17.25
23	G80		8W керамика E27	0	20.63
24	G95		2W керамика E27	9.38	10.63
25	G95		4W керамика E27	13.13	15
26	G95		6W керамика E27	0	18.13
27	G95		8W керамика E27	0	21.25
28	G125		2W керамика E27	11.88	14.75
29	G125		4W керамика E27	15.63	16.25

30	G125		6W керамика E27	0	19.38	
31	G125		8W керамика E27	0	21	